

**BRENTWOOD PHARMACY**  
**761 Suffolk Ave , Brentwood , NY , 11717**  
**Phone#: 6312733314 Fax#: 6312738863**

**Drug NDC:** 37205-0314-40  
**Drug Name:** MAALOX GEN

**How should I use this medicine?**

Take this medicine by mouth. Follow the directions on the label. Shake well before using. Use a specially marked spoon or container to measure your medicine. Ask your pharmacist if you do not have one. Household spoons are not accurate. Antacids are usually taken after meals and at bedtime or as directed by your doctor or health care professional. After taking the medication, drink a full glass of water. Take your doses at regular intervals. Do not take your medicine more often than directed. Talk to your pediatrician regarding the use of this medicine in children. While this drug may be prescribed for children as young as 6 years old for selected conditions, precautions do apply.

**Overdosage: If you think you have taken too much of this medicine contact a poison control center or emergency room at once.** NOTE: This medicine is only for you. Do not share this medicine with others.

**Where should I keep my medicine?**

Keep out of the reach of children. Store at room temperature between 15 and 30 degrees C (59 and 86 degrees F). Do not freeze. Protect from light and moisture. Throw away any unused medicine after the expiration date.

**NOTE: This sheet is a summary. It may not cover all possible information. If you have questions about this medicine, talk to your doctor, pharmacist, or health care provider.**

**What should I watch for while using this medicine?**

Tell your doctor or healthcare professional if your symptoms do not start to get better or if they get worse. Do not treat yourself for stomach problems with this medicine for more than 2 weeks. See a doctor if you have black tarry stools, rectal bleeding, or if you feel unusually tired. Do not change to another antacid product without advice. If you are taking other medicines, leave an interval of at least 2 hours before or after taking this medicine. To help reduce constipation, drink several glasses of water a day.

**What is this medicine?**

ALUMINUM HYDROXIDE; MAGNESIUM HYDROXIDE; SIMETHICONE (a LOO mi num hye DROX ide; mag NEE zhum hye DROX ide; sye METH i kone) is an antacid and antigas medicine. It is used to relieve the symptoms of indigestion, heartburn, sour stomach, and the discomfort caused by gas.

**This medicine may be used for other purposes; ask your health care provider or pharmacist if you have questions.**

**What should I tell my health care provider before I take this medicine?**

They need to know if you have any of these conditions: bowel, intestinal, or stomach disease; constipation; diarrhea; kidney disease; liver disease; on a sodium (salt) restricted diet; stomach bleeding or obstruction; an unusual or allergic reaction to aluminum hydroxide, magnesium hydroxide, simethicone, other medicines, foods, dyes, or preservatives; pregnant or trying to get pregnant; breast-feeding

**What if I miss a dose?**

If you miss a dose, take it as soon as you can. If it is almost time for your next dose, take only that dose. Do not take double or extra doses.

**What side effects may I notice from receiving this medicine?**

Side effects that you should report to your doctor or health care professional as soon as possible: allergic reactions like skin rash, itching or hives, swelling of the face, lips, or tongue; bone or joint aches and pains; confusion or irritability; headache; loss of appetite; nausea, vomiting; unusually weak or tired; Side effects that usually do not require medical attention (report to your doctor or health care professional if they continue or are bothersome): chalky taste; constipation; diarrhea; hemorrhoids

**This list may not describe all possible side effects. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.**